

1260-2

HD Automatic Coil Winder



Technical Specifications

Travel	RPM	AWG Limits	Arbor Size
24 in.	2600	15AWG	0.75"

*Custom traverses based on your specific needs are also available. Contact Sales for details

15.0"



General Specifications

- Traverse Motor Type: Stepper Motor Control
- Traverse Length: 24 Inches
- Arbor Size: 0.750in.
- Motor Type: 1/4 HP DC Motor, Triac Type Motor Speed Circuitry
- Braking: Dynamic
- Speed Control: Multi-Range Electronic Foot Control (Hand Control Also Available)
- Length Increments: Settable to .001 Inch
- Carriage Speed: 1.0 Inch Per Second
- Fine Pitch Mode: .0001 - .0999 In/Rev
- Regular Pitch Mode: .001 - .999 In/Rev
- Presets: 99 User Defined (Coil Winder) 32 User Defined (Traverse)
- Winder Sensor: Photoelectric Pick-Off
- Power Requirements: 117V 50-60 Hz, 400 VA
- Dimensions: L x W x H = 58" x 28" x 15"
- Weight: 250 lbs
- Wire Guide Max: Guide #5 AWG



User Friendly Interface



Microprocessor Controlled



With 1400 Winder / Accessories



Custom Tooling Available

Adams-Maxwell Winding Systems
 4740 Calle Carga, Camarillo, CA 93012
 Phone: (323) 936-8042 | Fax: (888) 936-8042
 Email: Sales@adamsmaxwell.com
www.adamsmaxwell.com

